



State	Hand Hygiene	Disposable Gloves	Disposable gown	Surgical mask	Eye Protection
SA	~	Recommended	×	×	×
WA	~	Recommended	×	Recommended	×
QLD	~	Recommended	×	Recommended	×
VIC	~	Recommended	×	Recommended	×
NSW	~	Recommended	×	Recommended	×
ACT	~	Recommended	×	×	×
TAS	~	Recommended	×	×	×

Please note the information above is of a general nature and advice may vary depending on the type of service being provided (e.g.: indoors versus outdoors). We ask that you please refer to the further detail listed below for more specific instruction.

Information from the Australian Government Department of Health https://www.health.gov.au/ and relevant state and territory health regulatory bodies.

In addition to the information outlined on this reference guide, all forms of PPE are required if:

- care for someone with suspected, probable or confirmed COVID-19
- undertake clinical examination or collect specimens from people who have suspected, probable or confirmed COVID-19
- have significant contact with people who have fever or acute respiratory symptoms work directly with patients or residents in an area with significant community transmission community transmission is defined by jurisdictional public health authorities

Contact and droplet-based precautions should be implemented when HenderCare workers are providing care to people with undiagnosed respiratory infections and or aerosol-generating tasks.

Masks must be worn if stipulated in the service recipient's care plan or advised by HenderCare. All team members have a responsibility to check local state or territory health websites for regular updates regarding health and quarantine advice.

- SA: https://www.sahealth.sa.gov.au/
- WA: https://ww2.health.wa.gov.au/
- QLD: https://www.health.gld.gov.au/
- VIC: https://www.dhhs.vic.gov.au/coronavirus
- NSW: https://www.health.nsw.gov.au/
- TAS: https://coronavirus.tas.gov.au/
- ACT: https://www.covid19.act.gov.au/
- For further information regarding the correct and safe use of PPE, please click here.
- To request additional PPE, please email ppe@hendercare.com.au

Team members are reminded to refer to HenderCare's COVID-19 Interim Guidelines for further advice regarding the correct use of PPE.

Further PPE Mask Advice

State	Face Masks	Our Advice	Exemptions
SA	Non-Mandatory	At this time in South Australia it is not mandatory for team members to wear masks at service but it is recommended where you are unable to physically distance .	
WA	Recommended	Surgical face masks recommended to be worn during services.	 A person is not required to wear a mask if they have a relevant medical condition, including problems with their breathing, a serious condition of the face, a disability or a mental health condition (evidence of a relevant medical condition must be produced on request i.e. letter from GP or medical professional). A mask is not required to be worn in circumstances where the ability to see the mouth is essential for communication. A mask is not required to be worn when a person is eating or drinking. A child under the age of 12 is not required to wear a mask.
QLD	Recommended	Surgical face masks recommended to be worn during services.	 children under 12 a person eating, drinking or taking medicine where visibility of the mouth is essential where a mask needs to be removed to clearly communicate a person with a particular medical condition or disability a person undergoing medical treatment if a person is asked to remove a face mask for identity purposes if wearing a mask creates a risk to a person's health and safety for emergencies or when allowed by law

			in any circumstances when it's not safe to wear a mask
VIC	Recommended	Curainal face manks were removed at the beautiful	Information and abilidize a condition and of 10 years
VIC	Recommended	Surgical face masks recommended to be worn during services.	 Infants and children under the age of 12 years. A person who is affected by a relevant medical condition, including problems with their breathing, a serious condition of the face, a disability or a mental health condition. Persons who are deaf or hard of hearing, where the ability to see the mouth is essential for communication. Persons for whom wearing a face mask would create a risk to that person's health and safety related to their work, as determined through OH&S guidelines. Persons whose professions require clear enunciation or visibility of their mouth. This includes teaching or live broadcasting. When directed to remove the face mask to ascertain identity. A person who is a student while onsite at a primary school or outside school hours care. Persons are engaged in any strenuous physical exercise During emergencies.
NSW	Recommended	Surgical face masks recommended to be worn during services.	 You are not required to wear a mask if you: are a child aged 12 or under have a physical or mental health illness or condition, or disability, that makes wearing a mask unsuitable (for example, a skin condition, an intellectual disability, autism or trauma). eating or drinking communicating with another person who is deaf or hard of hearing at work and the nature of your work makes wearing a face mask a risk to your or another person's health and safety means clear enunciation or visibility of your mouth is essential asked to remove your mask for identity purposes. because of an emergency for the proper provision of goods or services, for example, if you are having a facial or beard trim.

ACT	Non-mandatory	At this time in the ACT it is not mandatory for team members to wear masks at service but it is recommended where you are unable to physically distance .	
TAS	Non-mandatory	At this time in Tasmania it is not mandatory for team members to wear masks at service but it is recommended where you are unable to physically distance .	